



PRO5 S4 Črna-Rdeča

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection



Specific benefits



Comfort

- Comfortable light and soft EVA foam insole



Performance

- Sanitized® protection that reduces the proliferation of fungi and bacteria, providing greater freshness to the user.
- Greater chemical resistance thanks to its high-performance sole.



Easy to use

- Multitrack non-slip sole, oil resistant.

Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75

Technologies & labels



SANITIZED®

Applications

- Kmetijstvo
- Ribolov
- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava



PRO5 S4 Črna-Rdeča

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Standards - Details

Technical details

Shoe type	Boot
Upper material and finition	PVC
Upper height size 42 (cm)	40
Safety toe-cap	Stainless steel
Lining material	Textile
Footbed material	EVA
Footbed characteristic	Removable
Outsole material	Nitrile
Outsole finition	Injected
Weight (g per shoe)	1100
Size range	23 → 32



PRO5 S4

INDÚSTRIA-CONSTRUÇÃO E OBRAS PÚBLICAS

Proteção dos pés

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
WMXP5S4BR23	Branco-Vermelho	23	PRO5 S4	7502260641496	7502260641496	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR24	Branco-Vermelho	24	PRO5 S4	7502260640703	7502260640703	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR25	Branco-Vermelho	25	PRO5 S4	7502260640710	7502260640710	10	1	19.896 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR26	Branco-Vermelho	26	PRO5 S4	7502260640727	7502260640727	10	1	20.696 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR27	Branco-Vermelho	27	PRO5 S4	7502260640734	7502260640734	10	1	21.476 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR28	Branco-Vermelho	28	PRO5 S4	7502260640741	7502260640741	10	1	22.09 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR29	Branco-Vermelho	29	PRO5 S4	7502260640758	7502260640758	10	1	22.83 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR30	Branco-Vermelho	30	PRO5 S4	7502260640765	7502260640765	10	1	24.41 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR31	Branco-Vermelho	31	PRO5 S4	7502260641502	7502260641502	10	1	26.77 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR32	Branco-Vermelho	32	PRO5 S4	7502260645197	7502260645197	10	1	28.57 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR33	Branco-Vermelho	32	PRO5 S4	7502260000026	17502260000023	2	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm
WMXP5S4NR23	Preto-Vermelho	23	PRO5 S4	7502260641588	7502260641588	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR24	Preto-Vermelho	24	PRO5 S4	7502260640499	7502260640499	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR25	Preto-Vermelho	25	PRO5 S4	7502260640505	7502260640505	10	1	19.896 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR26	Preto-Vermelho	26	PRO5 S4	7502260640512	7502260640512	10	1	20.696 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR27	Preto-Vermelho	27	PRO5 S4	7502260640529	7502260640529	10	1	21.476 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR28	Preto-Vermelho	28	PRO5 S4	7502260640536	7502260640536	10	1	22.09 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR29	Preto-Vermelho	29	PRO5 S4	7502260640543	7502260640543	10	1	22.83 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR30	Preto-Vermelho	30	PRO5 S4	7502260640550	7502260640550	10	1	24.41 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR31	Preto-Vermelho	31	PRO5 S4	7502260641595	7502260641595	10	1	26.77 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR32	Preto-Vermelho	32	PRO5 S4	7502260643582	7502260643582	10	1	28.57 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR33	Preto-Vermelho	33	PRO5 S4	7502260643599	7502260643599	10	1	27.17 kg	49.0 cm	49.0 cm	44.0 cm



PRO5 S4

INDÚSTRIA-CONSTRUÇÃO E OBRAS PÚBLICAS

Proteção dos pes

 PCB

 SPCB

 Box Width

 Box Depth

 Box Height