



Kafa koruma

AIR COLTAN Siyah-Kırmızı

DARBE BAŞLIĞI

Maksimum konfor için havalandırılmalı koruyucu başlık, 3 vizör uzunluğunda mevcuttur



Uygulamalar

- İkinci iş / Zanaatkarlar
- Bakım
- Otomotiv
- Geçici istihdam
- Kamu hizmetleri

Sertifikalar ve standartlar



EN 812

Karşı korur



Şok



Kafa koruma

AIR COLTAN Siyah-Kırmızı

DARBE BAŞLIĞI

Maksimum konfor için havalandırılmalı koruyucu başlık, 3 vizör uzunluğunda mevcuttur

Detaylar - Standartlar

Ürün bilgileri

Ürün tipi	Darbe önleyici başlık
Gövde malzemesi	Polietilen
Gövde astarı	EVA
Baş ölçüsü (cm)	55-62
Ana renk	Siyah
Başlık vizörü	Standartlar
Lengths of visor available (cm)	3, 5, 7
Ayarlama	Sıkıştırma braketleri
Özelleştirilebilir logo	Mevcut değil
Ağırlık (g)	176
İçerdiği renkler	Black, Kırmızı



AIR COLTAN

BUMP CAP

Ventilated protective cap for maximum comfort, available in 3 visor lengths

Head protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
COLTAAINOLG	Black-Red	Adjustable-long peak	AIR COLTAN	3295249195151	13295249195158	20	1	4.85 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOMI	Black-Red	Adjustable-micro peak	AIR COLTAN	3295249195182	13295249195189	20	1	5.4 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOSH	Black-Red	Adjustable-short peak	AIR COLTAN	3295249195175	13295249195172	20	1	5.4 kg	41.0 cm	36.0 cm	29.0 cm
COLTAAIJAFI	Fluorescent yellow-Grey	Adjustable-long peak	AIR COLTAN	3295249168834	13295249168831	20	1	4.8 kg	37.6 cm	54.4 cm	32.6 cm
COLTAAIGR	Grey-Yellow	Adjustable-long peak	AIR COLTAN	3295249140571	13295249140578	20	1	4.9 kg	37.4 cm	55.0 cm	32.6 cm
COLTAAIGRMI	Grey-Yellow	Adjustable-micro peak	AIR COLTAN	3295249195205	13295249195202	20	1	4.5 kg	37.6 cm	55.4 cm	32.0 cm
COLTAAIBM	Navy blue-Orange	Adjustable-long peak	AIR COLTAN	3295249140588	13295249140585	20	1	5.4 kg	36.0 cm	48.0 cm	31.0 cm
COLTAAIBMSH	Navy blue-Orange	Adjustable-short peak	AIR COLTAN	3295249195199	13295249195196	20	1	4.5 kg	55.0 cm	37.0 cm	33.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height