



VE702PN

WORKS IN DRY ENVIRONMENT

Hand protection



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Javna dela
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Začasno delo
- Čiščenje odpadkov in vode

Certifications and norms



EN 388
3 1 2 1 X

Protects against risks



Wearing



VE702PN

WORKS IN DRY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Benefits element	Reach
Color	Črna
Size	6, 7, 8, 9, 10, 11








Handbescherming

VE702PN

WERKEN IN DROGE OMGEVINGEN

Mechanische handschoen ideaal voor de auto-industrie dankzij de vrijwel niet vervuilende kleur

Logistieke informatie

Referentie	Kleur	Maat	Aanduiding	EAN 13	Code karton			Gewicht			
VE702PN06	Zwart	06	VE702PN	3295249206963	13295249206960	240	12	6.5 kg	24.4 cm	41.8 cm	48.0 cm
VE702PN07	Zwart	07	VE702PN	3295249206970	13295249206977	240	12	7.7 kg	28.4 cm	44.4 cm	48.2 cm
VE702PN08	Zwart	08	VE702PN	3295249206987	13295249206984	240	12	7.8 kg	29.0 cm	43.2 cm	49.6 cm
VE702PN09	Zwart	09	VE702PN	3295249206994	13295249206991	240	12	8.0 kg	29.2 cm	47.0 cm	49.0 cm
VE702PN10	Zwart	10	VE702PN	3295249207007	13295249207004	240	12	8.5 kg	29.0 cm	47.6 cm	45.4 cm
VE702PN11	Zwart	11	VE702PN	3295249207014	13295249207011	240	12	8.7 kg	26.8 cm	45.2 cm	49.6 cm

 PCB

 SPCB

 Box Width

 Box Depth

 Box Height