



Hand protection

VE702PG

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for multipurpose work



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public Works
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Temporary Work
- Water and Waste Treatment

Certifications and norms



EN 388
3 1 2 1 X

Risk Protection



Wearing



Hand protection

VE702PG

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for multipurpose work

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach
Color	Gray
Size	6, 7, 8, 9, 10, 11








VE702PG

TRABALHOS EM AMBIENTE SECO

Luva mecânica ideal para trabalhos polivalentes

Proteção das mãos

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
VE702PG06	Cinzento	06	VE702PG	3295249125721	13295249125728	240	12	6.674 kg	28.8 cm	43.8 cm	48.0 cm
VE702PG07	Cinzento	07	VE702PG	3295249125738	13295249125735	240	12	7.234 kg	28.2 cm	44.4 cm	47.4 cm
VE702PG08	Cinzento	08	VE702PG	3295249125745	13295249125742	240	12	7.6 kg	29.0 cm	47.0 cm	45.0 cm
VE702PG09	Cinzento	09	VE702PG	3295249125752	13295249125759	240	12	8.098 kg	29.0 cm	45.8 cm	47.6 cm
VE702PG10	Cinzento	10	VE702PG	3295249125769	13295249125766	240	12	7.9 kg	28.0 cm	42.4 cm	47.8 cm
VE702PG11	Cinzento	11	VE702PG	3295249248895	13295249248892	240	12	0.0 kg	28.0 cm	48.0 cm	48.0 cm



Caixa completa



Mínimo venda



Box Width



Box Depth



Box Height